

Web Images Maps News Video Gmail more ▾

[Sign in](#)



(Indolicidin analog)and (SER or ser)

Search

[Advanced Search](#)
[Preferences](#)

Web

Results **41 - 50** of about **763** for **(Indolicidin analog)and (SER or ser)**. (0.36 seconds)

[PDF] [*EP001950223A2*](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

discloses that E2078, a dynorphin **analog** was chemically modified to make it [0037]

Preferably, the amino acid residues are selected from **Ser**, Thr, Tyr, **indolicidin** (Ile-Leu-Pro-Trp-Lys-Trp-Pro-Trp-Trp-Pro-Trp-Arg-Arg-NH ...

[https://publications.european-patent-office.org/PublicationServer/getpdf.jsp?](https://publications.european-patent-office.org/PublicationServer/getpdf.jsp?cc=EP&pn=1950223&ki=A2)

[cc=EP&pn=1950223&ki=A2](#) - [Similar pages](#)

[\(12\) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT ...](#)

A peptide mimetic is an SP **analog** in which one or more peptide bonds have been Arg-Pro-Gly-Phe-**Ser**-Pro-Phe-Arg (SEQ ID NO : 3); neurotensin, ... The **indolicidin**

antibacterial property with cells of *S. aureus* was used as a ...

[www.wipo.int/cgi-pctdb/guest/getbykey5?SERVER_TYPE=19&DB=PCT&](http://www.wipo.int/cgi-pctdb/guest/getbykey5?SERVER_TYPE=19&DB=PCT&QUERY=AN/US2001043195...)

[QUERRY=AN/US2001043195...](#) - 79k - [Cached](#) - [Similar pages](#)

[PDF] [Folding of \(beta\)-Sheets in Membranes: Specificity and Promiscuity ...](#)

File Format: PDF/Adobe Acrobat

228 nm in the CD spectra of the **analog** peptides Glu, Asn, Gln, **Ser**, Thr, His, Arg, Lys.

At pH 7, ... is very similar to that of **indolicidin**, ...

www.tulane.edu/~biochem/faculty/facfigs/JMBbeta.pdf - [Similar pages](#)

by CM Bishop - 2001 - [Cited by 20](#) - [Related articles](#) - [All 5 versions](#)

[Properties and Applications of Antimicrobial Peptides in ...](#)

Indolicidin is a short 13-amino-acid peptide that is amidated Structure-activity

relationship of HP (2-20) **analog** peptide: Enhanced an- ...

www.informaworld.com/index/793344593.pdf - [Similar pages](#)

by RM Dawson - 2008 - [Cited by 1](#) - [Related articles](#)

[Identification and Characterization of Novel Antimicrobial ...](#)

Ser was chosen for the hydroxyl amino acid, and Gln was chosen for the hydrophilic An

inactive **analog** with Pro in the middle of the amino acid sequence has a ... Also, a very

hydrophobic peptide, **indolicidin**, consisting of 13 amino ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=105883 - [Similar pages](#)

by SY Hong - 1998 - [Cited by 50](#) - [Related articles](#)

[Hyaluronic Acid Binding Peptides Enhance Host Defense Against ...](#)

233:694, 1995); cathelicidins, such as **indolicidin** and derivatives or analogues [0054]

The term "**analog**" includes any peptide having an amino acid ...

[www.patents.com/Hyaluronic-Acid-Binding-Peptides-Enhance-Host-Defense-Against-](http://www.patents.com/Hyaluronic-Acid-Binding-Peptides-Enhance-Host-Defense-Against-Pathogenic-Bacteria/.../en-US/)

[Pathogenic-Bacteria/.../en-US/](#) - 115k - [Cached](#) - [Similar pages](#)

[Paratope Plasticity in Diverse Modes Facilitates Molecular Mimicry ...](#)

Services. Right arrow, Similar articles in this journal. Right arrow to each peptide

analog with reference to the native peptide was calculated. to the Ab in addition to the

two serine residues, **Ser10** and **Ser12** (Fig. for the action of **indolicidin**, an antibacterial

peptide of innate immune origin. ...

www.jimmunol.org/cgi/content/full/178/12/7923 - [Similar pages](#)

by L Krishnan - 2007 - [Cited by 4](#) - [Related articles](#) - [All 3 versions](#)

[rsc_am_b710350f131..226](#)

Ser-cis-Pro mimic (12) was synthesized through the use of a Still-Wittig [2,3]-

Membrane binding and relative penetration of **indolicidin** of this conformationally constrained **analog**, which is related to the potent angio- ...
www.rsc.org/images/b710350f_tcm18-1112158.pdf - [Similar pages](#)
by B Penke - [Related articles](#) - [All 5 versions](#)

Brunschwig chemie - Importer and distributor of chemicals and ...
IGF-I **Analog** H-Cys-Tyr-Ala-Ala-Pro-Leu-Lys-Pro-Ala-Lys-**Ser**-Cys-OH, (Disulfid
Indolicidin H-Ile-Leu-Pro-Trp-Lys-Trp-Pro-Trp-Trp-Pro-Trp-Arg-Arg-NH2 ...
www.brunschwig.nl/en/i - 209k - [Cached](#) - [Similar pages](#)

Oncorhyncin III: a Potent Antimicrobial Peptide Derived from the ...
Ser (residues 3 to 5) present in histone H3, which is known to be methylated at lysines
antimicrobial peptide, tachyplesin I, and its linear **analog**. ...
www.biochemj.org/bj/imps_x/pdf/BJ20030259.pdf - [Similar pages](#)
by JMO Fernandes - [Cited by 26](#) - [Related articles](#) - [All 7 versions](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)